

10/579,594


Uploading C:\Program Files\Stnexp\Queries\10579594.str

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 191.05 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y

FULL SEARCH INITIATED 15:13:30 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 271 TO ITERATE

100.0% PROCESSED 271 ITERATIONS

16 ANSWERS

SEARCH TIME: 00.00.01

L2 16 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

191.54

191.76

FILE 'CAPLUS' ENTERED AT 15:13:44 ON 26 MAR 2010

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

10/923,271

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Mar 2010 VOL 152 ISS 14
FILE LAST UPDATED: 25 Mar 2010 (20100325/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2009

CAprus now includes complete International Patent Classification (IPC) reclassification data for the first quarter of 2010.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l1
REGISTRY INITIATED
Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 15:13:55 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 17 TO ITERATE

100.0% PROCESSED 17 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 93 TO 587
PROJECTED ANSWERS: 1 TO 80

L3 1 SEA SSS SAM L1

L4 1 L3


=> d ibib abs hitstr
THE ESTIMATED COST FOR THIS REQUEST IS 5.81 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

Toh

26/03/2010

10/923,271

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN
ACCESSION NUMBER: 2004:1024083 CAPLUS
DOCUMENT NUMBER: 142:134781
TITLE: Potent, Selective and Low-Calcemic Inhibitors of CYP24
Hydroxylase: 24-Sulfoximine Analogues of the Hormone
1 α ,25-Dihydroxyvitamin D3
AUTHOR(S): Kahraman, Mehmet; Sinishtaj, Sandra; Dolan, Patrick
M.; Kensler, Thomas W.; Peleg, Sara; Saha, Uttam;
Chuang, Samuel S.; Bernstein, Galina; Korczak, Bozena;
Posner, Gary H.
CORPORATE SOURCE: Department of Chemistry, School of Arts and Sciences,
The Johns Hopkins University, Baltimore, MD, 21218,
USA
SOURCE: Journal of Medicinal Chemistry (2004), 47(27),
6854-6863
CODEN: JMCMAR; ISSN: 0022-2623
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 142:134781
GI



AB A dozen 24-sulfoximine analogs of the hormone 1 α ,25-dihydroxyvitamin D3 were prepared, differing not only at the stereogenic sulfoximine stereocenter but also at the A-ring. Although these sulfoximines were not active transcriptionally and were only very weakly antiproliferative, some of them are powerful hydroxylase enzyme inhibitors. Specifically, 24(S)-NH Ph sulfoximine I is an extremely potent CYP24 inhibitor (IC₅₀ = 7.4 nM) having low calcemic activity. In addition, this compound shows high selectivity toward the CYP24 enzyme in comparison to CYP27A1 (IC₅₀ > 1000 nM) and CYP27B (IC₅₀ = 554 nM).
IT 825638-30-0P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT

10/923,271


(Reactant or reagent)

(preparation and CYP24 inhibitory activity of dihydroxyvitamin D3
sulfoximine analogs)

RN 825638-30-0 CAPLUS

CN Silanamine, N-[(R)-[(1E,3S)-3-[(1R,3aS,4E,7aR)-4-[(2Z)-2-[(3S,5R)-3,5-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]octahydro-7a-methyl-1H-inden-1-yl]-1-fluoro-1-buten-1-yl]oxidophenyl-λ4-sulfanylidene]-1-(1,1-dimethylethyl)-1,1-dimethyl- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



OS.CITING REF COUNT: 28 THERE ARE 28 CAPLUS RECORDS THAT CITE THIS
RECORD (28 CITINGS)
REFERENCE COUNT: 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s 12

L5 7 L2

=> d 1-7 ibib abs hitstr

THE ESTIMATED COST FOR THIS REQUEST IS 40.67 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

L5 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2006:1055284 CAPLUS

DOCUMENT NUMBER: 145:356983

TITLE: Procedure for the preparation of vitamin D derivatives
starting with monohalovinyl compounds

INVENTOR(S): Buxade Vinas, Antonio; Conchillo Teruel, Antonio; Mola
Soler, Carlos

PATENT ASSIGNEE(S): Laboratorios Vinas S.A., Spain

SOURCE: Span., 72pp.
CODEN: SPXXAD

DOCUMENT TYPE: Patent
 LANGUAGE: Spanish
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ES 2234423	A1	20050616	ES 2003-2875	20031205
ES 2234423	B1	20060301		
SI 21657	A	20050630	SI 2004-326	20041202
KR 2005054857	A	20050610	KR 2004-101436	20041203
PRIORITY APPLN. INFO.:			ES 2003-2875	A 20031205
OTHER SOURCE(S):	CASREACT 145:356983; MARPAT 145:356983			

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB A procedure for the preparation of vitamin D derivs. I [A = A1, A2, A3; R1, R2, R3, R4 = H, C1-8-alkyl, C3-6-cycloalkyl, C6-14-aryl; D = H, CR5R6Y, C(:O)R5; R5, R6 = H, C1-8-alkyl, C3-6-cycloalkyl, C6-14-aryl, OR7; R7 = H, C1-8-alkyl, C3-6-cycloalkyl, C6-14-aryl; R1', R2', R3' = H, halogen, OH, protected OH, C1-6-alkyl (optionally substituted with halogen, OH, CN, NH2), C2-6-alkenyl (optionally substituted with halogen, OH, CN, NH2), C1-5-alkyl ether, di(C1-5-alkyl)amino; V = (C.tplbond.C)n; W = dienophile; Y = H, OH, protected OH; Z, Z' = H, OH, protected OH; m = 0, 1, 2; n = 0, 1; p = 0, 1, 2, 3, 4, 5, 6; whereby m + n + p ≥ 1] comprises: (a) reaction of monohalovinyl compds. II [X = halogen, selected from Cl, Br, I] with M(NR8R9) [M = alkaline metal; R8, R9 = H, C1-6-alkyl, (C1-6-alkyl)silyl, C3-6-cycloalkyl] in a solvent followed by reaction of the resulting metal vinyl compound with R5CONMeOMe or R5CHO. Alternatively the procedure can comprise: (b) reaction of monohalovinyl compds. II with MOR10 [R10 = C1-6-alkyl] in a solvent followed by reaction with R5CONMeOMe or R5CHO; (c) reaction of II with R10Li followed by reaction with 2-R5-2-R6-oxirane; (d) reaction of II with (T)oM'(CR4R4)pCHR6R6 [M' = Li, Mg, Zn, Al, Zr, B, Sn; T = halogen C1-5-alkyl; o = 0 - 6 whereby o = 0 when M' is monovalent] followed by reaction with R5CONMeOMe or R5CHO; (e) reaction of II with M''(L')q [M'' = Zn, Cu, Ti; L' = halogen, C1-5-alkyl, PPh3, CN, SCN; q = 0, 1, 2, 3, 4, 5, 6] followed by reaction with R5C(:O)R6, R5C(:O)Me, HC.tplbond.CCR5R6OH or R1CH:CR5R6OH.


IT 853129-78-9 853129-80-3 853129-81-4
 853129-82-5 853129-85-8 853129-87-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (coupling reactions of, with aldehydes, amides, ketones and/or epoxides; preparation of vitamin D derivs. starting with monohalovinyl compds.)

RN 853129-78-9 CAPLUS

CN Benzo[c]thiophene, 4,6-bis[[[1,1-dimethylethyl]dimethylsilyl]oxy]-1,3,4,5,6,7-hexahydro-1-[(E)-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]methyl]-, 2,2-dioxide, (4S,6R)- (CA INDEX NAME)

Absolute stereochemistry.
 Double bond geometry as shown.


10/923,271



RN 853129-80-3 CAPLUS

CN Benzo[c]thiophene-4,6-diol, 1,3,4,5,6,7-hexahydro-1-[(E)-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]methyl]-, 4,6-diacetate, 2,2-dioxide, (4S,6R)- (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 853129-81-4 CAPLUS

CN 1H-Indene, 4-[(2E)-2-[(3S,5R)-3,5-bis[[(1,1-dimethylethyl)dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-, (1R,3aS,4E,7aR)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 853129-82-5 CAPLUS

CN 1H-Indene, 4-[(2Z)-2-[(3S,5R)-3,5-bis[[(1,1-

10/923,271


dimethylethyl)dimethylsilyl]oxy]-2-
methylenecyclohexylidene]ethylidene]octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-
propen-1-yl]-7a-methyl-, (1R,3aS,4E,7aR)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 853129-85-8 CAPLUS
CN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-2-[(1R,3aS,7aR)-octahydro-1-
[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-
ylidene]ethylidene]-, 1,3-diacetate, (1R,3S,5E)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 853129-87-0 CAPLUS
CN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-2-[(1R,3aS,7aR)-octahydro-1-
[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-
ylidene]ethylidene]-, 1,3-diacetate, (1R,3S,5Z)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



L5 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2005:493581 CAPLUS

DOCUMENT NUMBER: 143:26773

TITLE: Process for the preparation of vitamin D monohalogenovinyl derivatives

INVENTOR(S): Buxade Vinas, Antonio; Conchillo Teruel, Antonio; Mola Soler, Carlos

PATENT ASSIGNEE(S): Laboratorios Vinas S. A., Spain

SOURCE: PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Spanish


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005051903	A1	20050609	WO 2004-ES511	20041117
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
ES 2233209	A1	20050601	ES 2003-2806	20031128
ES 2233209	B1	20060401		
EP 1688409	A1	20060809	EP 2004-798238	20041117
EP 1688409	B1	20080507		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
AT 394370	T	20080515	AT 2004-798238	20041117
ES 2303111	T3	20080801	ES 2004-798238	20041117

10/923,271

US 20070129558 A1 20070607 US 2006-579594 20060517
PRIORITY APPLN. INFO.: ES 2003-2806 A 20031128
WO 2004-ES511 W 20041117
ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OTHER SOURCE(S): MARPAT 143:26773
GI



I



II

AB A process was disclosed for the preparation of vitamin D 20-(monohalogenovinyl) derivs., such as I and II [R, R¹ = H, acyl, silyl, etc.; R² = CH:CHR³, R³ = halogen; X = CH₂, Y = H₂; X = H₂, Y = CH₂], which consisted of reacting an aldehyde precursor I or II (R² = CHO) with a haloform in the presence of Cr²⁺ salts. Thus, aldehyde II (R = R¹ = SiMe₂CMe₃, R² = CHO) was reacted with CHI₃ using CrCl₂ in THF to give iodovinyl derivative II [R = R¹ = SiMe₂CMe₃, R² = CH:CHI -(E)] in 80% yield. Iodovinyl derivative II [R = R¹ = SiMe₂CMe₃, R² = CH:CHI -(E)] was subsequently treated with NaHCO₃ in DMF to give I [R = R¹ = SiMe₂CMe₃, R² = CH:CHI -(E), X = CH₂, Y = H₂] in 90% yield.

IT 853129-87-0P

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)


(claimed compound; process for the preparation of vitamin D monohalogenovinyl derivs.)

RN 853129-87-0 CAPLUS

CN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-2-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]ethylenylidene]-, 1,3-diacetate, (1R,3S,5Z)- (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.

10/923,271



IT 853129-78-9P 853129-81-4P 853129-83-6P
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(process for the preparation of vitamin D monohalogenovinyl derivs.)
RN 853129-78-9 CAPLUS
CN Benzo[c]thiophene, 4,6-bis[[(1,1-dimethylethyl)dimethylsilyl]oxy]-1,3,4,5,6,7-hexahydro-1-[(E)-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]methyl]-, 2,2-dioxide, (4S,6R)- (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 853129-81-4 CAPLUS
CN 1H-Indene, 4-[(2E)-2-[(3S,5R)-3,5-bis[[(1,1-dimethylethyl)dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-, (1R,3aS,4E,7aR)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.


10/923,271



RN 853129-83-6 CAPLUS

CN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-2-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5E)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



IT 853129-80-3P 853129-82-5P 853129-84-7P

853129-85-8P 853129-86-9P

RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)


(process for the preparation of vitamin D monohalogenovinyl derivs.)

RN 853129-80-3 CAPLUS

CN Benzo[c]thiophene-4,6-diol, 1,3,4,5,6,7-hexahydro-1-[(E)-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]methyl]-, 4,6-diacetate, 2,2-dioxide, (4S,6R)- (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.

10/923,271



RN 853129-82-5 CAPLUS
CN 1H-Indene, 4-[(2Z)-2-[(3S,5R)-3,5-bis[[1,1-dimethylethyl]dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-, (1R,3aS,4E,7aR)- (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 853129-84-7 CAPLUS
CN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-2-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.


10/923,271



RN 853129-85-8 CAPLUS

CN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-2-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, 1,3-diacetate, (1R,3S,5E)- (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 853129-86-9 CAPLUS

CN Benzo[c]thiophene-4,6-diol, 1,3,4,5,6,7-hexahydro-1-[(E)-[(1R,3aS,7aR)-octahydro-1-[(1S,2E)-3-iodo-1-methyl-2-propen-1-yl]-7a-methyl-4H-inden-4-ylidene]methyl]-, 2,2-dioxide, (4S,6R)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as described by E or Z.



```
OS.CITING REF COUNT:      1      THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD
                             (1 CITINGS)
REFERENCE COUNT:          4      THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
                                RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
```

26/03/2010

10/923,271


IT 825638-27-5P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and CYP24 inhibitory activity of dihydroxyvitamin D3 sulfoximine analogs)

RN 825638-27-5 CAPLUS

CN 1,3-Cyclohexanediol, 5-[(2E)-2-[(1R,3aS,7aR)-1-[(1S,2E)-3-fluoro-1-methyl-3-[[S(R)]-S-phenylsulfonimidoyl]-2-propen-1-yl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




IT 825638-30-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and CYP24 inhibitory activity of dihydroxyvitamin D3 sulfoximine analogs)

RN 825638-30-0 CAPLUS

CN Silanamine, N-[(R)-[(1E,3S)-3-[(1R,3aS,4E,7aR)-4-[(2Z)-2-[(3S,5R)-3,5-bis[(1,1-dimethylethyl)dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]octahydro-7a-methyl-1H-inden-1-yl]-1-fluoro-1-buten-1-yl]oxidophenyl-λ4-sulfanylidene]-1-(1,1-dimethylethyl)-1,1-dimethyl- (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



OS.CITING REF COUNT: 28 THERE ARE 28 CAPLUS RECORDS THAT CITE THIS
RECORD (28 CITINGS)
REFERENCE COUNT: 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2004:522160 CAPLUS

DOCUMENT NUMBER: 141:350327

TITLE: Potent, low-calcemic, selective inhibitors of CYP24
hydroxylase: 24-sulfone analogs of the hormone
1 α ,25-dihydroxyvitamin D3

AUTHOR(S): Posner, Gary H.; Crawford, Kenneth R.; Yang, Hong
Woon; Kahraman, Mehmet; Jeon, Heung Bae; Li, Hongbin;
Lee, Jae Kyoo; Suh, Byung Chul; Hatcher, Mark A.;
Labonte, Tanzina; Usera, Aimee; Dolan, Patrick M.;
Kensler, Thomas W.; Peleg, Sara; Jones, Glenville;
Zhang, Anqi; Korczak, Bozena; Saha, Uttam; Chuang,
Samuel S.

CORPORATE SOURCE: Department of Chemistry, School of Arts and Sciences,
The Johns Hopkins University, Baltimore, MD,
21218-2685, USA

SOURCE: Journal of Steroid Biochemistry and Molecular Biology
(2004), 89-90(1-5), 5-12

CODEN: JSBBEZ; ISSN: 0960-0760


PUBLISHER: : Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 141:350327


GI



I

- AB The new 24-phenylsulfone I, a low-calcemic analog of the natural hormone 1 α ,25-dihydroxyvitamin D₃, is a potent (IC₅₀ = 28 nM) and highly selective inhibitor of the human 24-hydroxylase enzyme CYP24.
- IT 774221-33-9P 774221-34-0P
 RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (24-sulfone analogs of the hormone 1 α ,25-dihydroxyvitamin D₃ as potent, low-calcemic, selective inhibitors of CYP24 hydroxylase)
- RN 774221-33-9 CAPLUS
- CN 1,3-Cyclohexanediol, 5-[(2E)-2-[(1R,3aS,7aR)-1-[(1S,2Z)-3-chloro-1-methyl-3-(phenylsulfonyl)-2-propen-1-yl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).
 Double bond geometry as shown.



- RN 774221-34-0 CAPLUS
- CN 1,3-Cyclohexanediol, 5-[(2E)-2-[(1R,3aS,7aR)-1-[(1S,2Z)-3-chloro-1-methyl-3-(phenylsulfonyl)-2-propen-1-yl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)-

10/923,271

BR 2003015553	A	20050823	BR 2003-15553	20031023
CN 1705643	A	20051207	CN 2003-80101931	20031023
JP 2006503880	T	20060202	JP 2004-545731	20031023
RU 2320644	C2	20080327	RU 2005-115482	20031023
MX 2005003499	A	20050617	MX 2005-3499	20050401
IN 2005DN01624	A	20090320	IN 2005-DN1624	20050421
NO 2005002478	A	20050523	NO 2005-2478	20050523
US 20060166949	A1	20060727	US 2005-532019	20051025
PRIORITY APPLN. INFO.:			DK 2002-1608	A 20021023
			US 2002-420783P	P 20021024
			WO 2003-DK718	W 20031023

OTHER SOURCE(S): MARPAT 140:391401

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Vitamin D analogs I (R1 and R2 = halogen, (C1-C6) hydrocarbyl, optionally substituted with one or two hydroxyl group on one or more fluorine atoms, or, together with the carbon atom to which they are both attached, R1 and R2 form a (C3-C6)carbocyclic ring, or one of R1 and R2 taken together with R3 forms a direct bond, such that a triple bond is constituted, or R1 and R2 represent both hydrogen; R3 = a direct bond with one of R1 and R2, hydrogen or (C1-C3)hydrocarbyl; X = (E)-ethylene, (Z)-ethylene, ethynylene, or a bond; Y and Z independently = H or Me; A = OH, F or H; B = CH2 or H2) were prepared as potential phosphate binders, steroids, parathyroid hormone secretion inhibitors, or anti-proliferative agents. Thus, to a solution of II (R = SiMe2CMe3) was reacted with isopropyltriphenylphosphonium iodide to give the corresponding alkene product. The above alkene was treated with anthracene in DCM and irradiated with A TQ718Z2 UV lamp for 35 min to give III (R = SiMe2CMe3) which was treated with tetra-n-butylammonium fluoride trihydrate in THF to give I (A = OH, B = CH2, X = (E)-ethylene, Y = H, Z = Me, R1, R2 = Me, R3 = H).

IT 141545-84-8 154171-12-7


RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of vitamin D analogs as potential phosphate binders, steroids, or anti-proliferative agents)

RN 141545-84-8 CAPLUS


CN 1H-Indene, 4-[(2E)-2-[(3S,5R)-3,5-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]-1-[(1R)-3,3-dichloro-1-methyl-2-propen-1-yl]octahydro-7a-methyl-, (1R,3aS,4E,7aR)- (CA INDEX NAME)

10/923,271



RN 154171-12-7 CAPLUS
CN Silane, [[(1 α , 3 β , 5E, 7E)-23,23-dichloro-24-nor-9,10-secochola-5,7,10(19),22-tetraene-1,3-diyl]bis(oxy)]bis[(1,1-dimethylethyl)dimethyl-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




OS.CITING REF COUNT: 5 THERE ARE 5 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2010 ACS on STN
ACCESSION NUMBER: 1994:245588 CAPLUS
DOCUMENT NUMBER: 120:245588
ORIGINAL REFERENCE NO.: 120:43561a,43564a
TITLE: 1 α ,24S-Dihydroxy-26,27-cyclo-22-yne vitamin D3:
the side chain triple bond analog of MC 903
(calcipotriol)
AUTHOR(S): Calverley, Martin J.; Bretting, Claus Aa.S.
CORPORATE SOURCE: Chem. Res. Dep., Leo Pharm. Prod., Ballerup, DK-2750, Den.

10/923,271

SOURCE: Bioorganic & Medicinal Chemistry Letters (1993), 3(9),
1841-4
CODEN: BMCLE8; ISSN: 0960-894X
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 120:245588
GI




AB The side chain propargylic alc. function [established stereoselectively via S-Alpine-Borane reduction of ynone I (TBDMS = tert-butyldimethylsilyl) and correlated with MC 903] in the title compound II replaces the metabolically labile allylic alc. function of MC 903, a selective analog of the vitamin D hormone used for treating psoriasis. II exhibits reduced in vitro activity but still shows selectively much lower in vivo calcemic effects.

IT 154171-12-7P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and lithiation and cyclopropylcarbonylation of)

RN 154171-12-7 CAPLUS

CN Silane, [[(1 α ,3 β ,5E,7E)-23,23-dichloro-24-nor-9,10-secochola-5,7,10(19),22-tetraene-1,3-diyl]bis(oxy)]bis[(1,1-dimethylethyl)dimethyl-(9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



L5 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 1992:255875 CAPLUS

DOCUMENT NUMBER: 116:255875

ORIGINAL REFERENCE NO.: 116:43403a, 43406a

TITLE: Preparation of vitamin D analogs as drugs

INVENTOR(S): Bretting, Claus Aage Svensgaard

PATENT ASSIGNEE(S): Leo Pharmaceutical Products Ltd. A/S, Den.

SOURCE: PCT Int. Appl., 40 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9203414	A1	19920305	WO 1991-DK200	19910711
W: AU, BB, BG, BR, CA, CS, FI, HU, JP, KP, KR, LK, MC, MG, MN, MW, NO, PL, RO, SD, SU, US				
RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, DE, DK, ES, FR, GA, GB, GN, GR, IT, LU, ML, MR, NL, SE, SN, TD, TG				
CA 2078555	A1	19920216	CA 1991-2078555	19910711
CA 2078555	C	20021126		
AU 9184223	A	19920317	AU 1991-84223	19910711
AU 636510	B2	19930429		
EP 543864	A1	19930602	EP 1991-914384	19910711
EP 543864	B1	19941214		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
JP 06500089	T	19940106	JP 1991-513854	19910711
JP 3246914	B2	20020115		
ES 2068601	T3	19950416	ES 1991-914384	19910711
RU 2126384	C1	19990220	RU 1992-16313	19910711
CZ 286485	B6	20000412	CZ 1992-3726	19910711
US 5447924	A	19950905	US 1992-927420	19920922
FI 103791	B	19990930	FI 1992-5547	19921207
FI 103791	B1	19990930		
SK 281443	B6	20010312	SK 1992-3726	19921217
LV 10089	B	19941020	LV 1993-243	19930215
LT 3666	B	19960125	LT 1993-965	19930910
PRIORITY APPLN. INFO.:			GB 1990-17890	A 19900815
			CS 1992-3726	A 19910711

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OTHER SOURCE(S): MARPAT 116:255875

GI



AB Title compds. [I; R = Z1C.tplbond.CZ2CR1R2X; R1, R2 = H, hydrocarbonyl; or R1R2 = atoms to form a carbocyclic ring; R3 = cyclohexylidenemethylidyne group Q1; X = H, OH; Z1 = (substituted)(CH2)m; Z2 = bond, hydrocarbylenediyl; m = 0-2] were prepared as antiinflammatories, immunomodulators, etc. (no data). Thus, I (R = CHO, R3 = cyclohexylidenemethylidyne group Q2) was condensed with (Me2N)3P:CCL2 (prepared in situ) and the product treated, in turn, with BuLi and Br(CH2)3CEt2OSiMe3 to give I [R = C.tplbond.C(CH2)3CEt2OSiMe3, R3 = Q2] which was photoisomerized to give, after deprotection, I [R = C.tplbond.C(CH2)3CEt2OH, R3 = Q1].


IT 141545-84-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, in preparation of antiinflammatory and immunomodulator)

RN 141545-84-8 CAPLUS

CN 1H-Indene, 4-[(2E)-2-[(3S,5R)-3,5-bis[[1,1-dimethylethyl]dimethylsilyl]oxy]-2-methylenecyclohexylidene]ethylidene]-1-[(1R)-3,3-dichloro-1-methyl-2-propen-1-yl]octahydro-7a-methyl-, (1R,3aS,4E,7aR)- (CA INDEX NAME)

10/923,271



OS.CITING REF COUNT:	9	THERE ARE 9 CAPLUS RECORDS THAT CITE THIS RECORD (9 CITINGS)
REFERENCE COUNT:	4	THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT